

## Notice of Intent for the Offshore Subcategory of the On and Sub-Attack. Category for the Western Portion of the Outer Continental Shelf of the Gulf of Mexico Notice of Intent for the Offshore Subcategory of the Oil and Gas Extraction Point Source (GMG290000)

U.S. EPA Region 6 Offshore General Permits Mail Code 6EN-WC1445 Ross Ave., Suite 1200 Dallas, TX 75202-2733

Submission of this completed Notice of Intent (NOI) constitutes notice that the entity in Section B intends to be authorized to discharge pollutants to Federal waters of the Gulf of Mexico seaward of the outer boundary of the territorial seas offshore of Louisiana and Texas (77 Fed. Reg. No. 196, p. 61605, October 10, 2012,

http://www.epa.gov/region6/water/npdes/genpermit/gmg290000final/gmg290000finalpermit2012.pdf) www.epa.gov/region6/water/npdes/genpermit/. Submission of the NOI also constitutes notice that the party identified in Section B of this form has read, understands, and meets the eligibility conditions in the Regulated Entities section of the Final General Permit for the above mentioned permit and agrees to comply with all applicable terms and conditions of this General Permit. In order to be granted coverage, all information required on this form must be completed unless designated as optional. Please read and make sure you comply with all permit requirements.

	Enter NPDESID *	Organization Formal Name	•								
GM G29	0541	Fieldwood Energy LLC									
Grçanization Neted by Preparer											
		Fieldwood									
Reason fo	or Submission *										
○ Chan	ge operator legal name and address	<b>●</b> A	Add structures		Change structure information						
O Delet	e structures	O A	add limit set(s) for an existing permitted feature		O Delete limit set(s) from an existing permitted feature						
dd Structure	S										
Non-Sen	sitive Areas										
Lease Bl	ock 1										
Lease Ar	ea Block Name "	Lease Area Block Number *	Lease Area Block BOEM Number*								
Eugene	Island South Addition	334	G15263	] X							
Structu	ro 1										
Structu	ie i										

Type *	Description			Latitude (in decimal c	legrees) *	Longitude (in decimal degrees) *	
Platform	EI-334D		+	28.214525	-	91.8248132	
Water Depth (in feet)	Built after 0	7/17/2006?*					
		Cooling Water Intake Struct	ure (CW	) Drilling Fluids	sand Cuttings (DF)	Hydrate Control Fluid (HF)	Maintenance SMP (WM)
		Produced Water (PR)				Stock Base Fluid Drill (SB)	Well Plands (WF)
Add Structure							
Lease Block 2							
Lease Area Block Name *		Lease Area Block Number *		Lease Area Block	(BOEM Number*		
Eugene Island South Ad	Idition	337		G03332		X	
Structure 1							
Type *	Description			Latitude (in decimal o	legrees) *	Longitude (in decimal degrees) *	
Platform	El-337A		+	28.177835	-	91.732779	
Water Depth (in feet)	Built after 0	7/17/2006?*					
268	No						
X Crest Towards		Cooling Water Intake Struct	ure (CW	) Drilling Fluids	sand Cuttings (DF)	Hydrate Control Fluid (HF)	X Maintenance BWP (WW)
		Produced Water (PR)			ners VV see	Stock Base Fluid Drill (SB)	[汉] Well Fluide (WF)
	d						(A.A.)
Add Structure	3						
Lease Block 3							
Lease Area Block Name *		Lease Area Block Number *		Lease Area Block	(BOEM Number		
Eugene Island South Ad		342		G02319		X	
				J 1			
Structure 1							

Type *	Description		Latitude (in decimal degrees) *	Long	gitude (in decimal degrees) *	
Platform	El-342C		+ 28.184442	- 91.5	506652	
Water Depth (in feet) 287	Built after 07	7/17/2006?*				
		Cooling Water Intake Structu	re (CW) Drilling Fluidsand Cutting	gs(DF)	Hydrate Control Fluid (HF)	Maintenance BMP (VVM)
		Produced Water (PR)	Server & Correcto VVV. Drainage (VVV)		Stock Base Fluid Drill (SB)	Well Fluids (WF)
Add Structur	e					
Lease Block 4						
Lease Area Block Name		Lease Area Block Number *	Lease Area Block BOEM Num	ber*		
Eugene Island South A	ddition	343	G21645		X	
Structure 1						
Type *	Description		Latitude (in decimal degrees) *	Long	nitude (in decimal degrees) *	
Platform	El-343D		+ 28.200262		<del>1</del> 315314	
Water Depth (in feet)	Built after 0	7/17/2006?*				
× × × × × × × × × × × × × × × × × × ×		Cooling Water Intake Structu	re (CW) Drilling Fluids and Cutting	gs(DF) ⋝	Hydrate Control Fluid (HF)	Maintenance BM F (WM)
			X San 18 y A Decrease 484		_	
X		Produced Water (PR)			Stock Base Fluid Drill (SB)	₩ell Fluide (WF)
Add Structur	e					
Lease Block 5						
Lease Area Block Name	•	Lease Area Block Number *	Lease Area Block BOEM Num	ber*		
Eugene Island South A	ddition	346	G14482		X	
Structure 1						

Type *	Description			atitude (in decimal degrees) *	Longitude (in decimal degrees) *	
Platform	El-346A		+	28.163881	91.3689425	
Water Depth (in feet)	Built after 0'	7/17/2006?*				
		Cooling Water Intake Struct	are (CW)	Drilling Fluids and Cuttings (DF)	Hydrate Control Fluid (HF)	Maintenance BMP (WM)
$\mathbb{Z}^{n}$		Produced Water (PR)			Stock Base Fluid Drill (SB)	Well Fluids (V4F)
Add Structure	•					
Lease Block 6						
Lease Area Block Name *		Lease Area Block Number *		Lease Area Block BOEM Number*		
Eugene Island South Ad	ddition	354		G10752	X	
Structure 1						
Type *	Description		L	atitude (in decimal degrees) *	Longitude (in decimal degrees) *	
Platform	El-354D			28.155046	91.7170865	
Water Depth (in feet)	Built after 0	7/17/2006?*				
280	No					
X Constitution		Cooling Water Intake Struct	are (CW)	Drilling Fluidsand Cuttings (DF)	Hydrate Control Fluid (HF)	Maintenance BMF (WW)
X are property and		Produced Water (PR)		San tany & Domentic WW. Seck.  Dramage WWW.	Stock Base Fluid Drill (SB)	⊠ Well Fluide (WF)
Add Structure	<u>.</u>					
Add Structure	2					
Lease Block 7						
Lease Area Block Name *		Lease Area Block Number *		Lease Area Block BOEM Number *		
Eugene Island		53		479	X	
Structure 1						
C						

Type *	Description	Latitude (in decimal degrees) *	Longitude (in decimal degrees) *	
Platform	EI-53#10	+ 29.211428 -	91.5952436	X
Water Depth (in feet)	Built after 07/17/2006?*			
		cture (CW) Drilling Fluidsand Cuttings (DF)	Hydrate Control Fluid (HF)	Maintenance BMP (WM)
	Produced Water (PR)	Sanitary & Domestic 9VVV. Deck Drainage (VVV)	Stock Base Fluid Drill (SB)	₩ei Fluids (WF)
Add Structur	e			
Structure 2				
Type *	Description	Latitude (in decimal degrees) *	Longitude (in decimal degrees) *	
Platform	EI-53#12	+ 29.216175 -	91.59209	_ x
Water Depth (in feet)	Built after 07/17/2006?*  No			
X Charles	.c. Discharge (CT) Cooling Water Intake Stru		Hydrate Control Fluid (HF)	Maintenance 8VP (WV)
	Produced Water (PR)	San tary & Conventic VVV, Deek Drainage (VVV)	Stock Base Fluid Drill (SB)	Well Fluide (WF)
Add Structur	e			
Structure 3				
Type *	Description	Latitude (in decimal degrees) *	Longitude (in decimal degrees) *	
Platform	El-53#2	+ 29.216064 -	91.6010389	X
Water Depth (in feet)	Built after 07/17/2006?*    No			
XI Carron Transaction	Cooling Water Intake Stru	cture (CW) Drilling Fluidsand Cuttings (DF)	Hydrate Control Fluid (HF)	X Maintenance BMP (WM)
X MacDiscourse W	Produced Water (PR)	Sanitary & Deracidic WAY, Deck Drainage (WAY)	Stock Base Fluid Drill (SB)	Well Fluide (WF)
Add Structur	e			
Structure 4				

Type *	Description	Latitude (in decimal deg	rees) *	Longitude (in decimal degrees) *	
Platform	El-53#8	+ 29.218997	-	91.610661	X
Water Depth (in fee					
18	No				
	Cooling W	ater Intake Structure (CW) Drilling Fluids an		Hydrate Control Fluid (HF)	Maintenance BMP (AM)
Z	Produced	Water (PR)		Stock Base Fluid Drill (SB)	₩eii flu ds (Wf)
Add Struct	ture				
Structure 5					
Type *	Description	Latitude (in decimal deg	rees) *	Longitude (in decimal degrees) *	
Platform	El-53#9	+ 29.218959	-	91.6106323	X
Water Depth (in fee					
18	No				
	Cooling W	ater Intake Structure (CW) Drilling Fluids an		Hydrate Control Fluid (HF)	Maintenance Bylir (WV)
$\boxtimes$ $\mathbb{R}^{2}$	Produced	Water (PR)		Stock Base Fluid Drill (SB)	Well Fluide (WF)
Add Struct	ture				
Structure 6					
Type *	Description	Latitude (in decimal deg	rees) *	Longitude (in decimal degrees) *	
Platform	El-53B	+ 29.216772	-	91.604263	X
Water Depth (in fee	Built after 07/17/2006?*    No				
X	Cooling W	ater Intake Structure (CW) Drilling Fluids an	d Cuttings (DF)	Hydrate Control Fluid (HF)	Maintenance BV F (V/V)
X second	(VC)	Water (PR) Sanitary & Dome		Stock Base Fluid Drill (SB)	X Well Fluide (WF)
Add Struct	ture				
Structure 7					

Type * Platform	Description			Latitude (in decimal degrees) *		Longitude (in decimal degrees) *	V
	EI-53C		[	29.211403		91.5951275	<u> </u>
Water Depth (in fee		r 07/17/2006?*					
22	No			<u></u>		<u></u>	
		Cooling Water Intake Stru	cture (C	_		Hydrate Control Fluid (HF)	Maintenance BMP (WM)
Z		Produced Water (PR)		2	Table 1	Stock Base Fluid Drill (SB)	Well file dis (VVF)
Add Struc	ture						
<b>&gt;</b>							
Structure 8							
Type * Platform	Description			Latitude (in decimal degrees) *	$\neg$ $\vdash$	Longitude (in decimal degrees) *	
	EI-53D			29.223590	[-	91.5800993	X
Water Depth (in fee	et) Built afte	r 07/17/2006?*					
17							
X Charles Toward		Cooling Water Intake Stru	cture (C			Hydrate Control Fluid (HF)	
X		Produced Water (PR)		X so tay 6 transactions		Stock Base Fluid Drill (SB)	∑ ver i de ver
Add Struc	ture						
>							
Structure 9							
Type * Platform	Description El-53G		<b>□</b> [+	Latitude (in decimal degrees) * 29.227007		Longitude (in decimal degrees) * 91.6030336	X
L			_ L <u>'</u> _	29.221001		91.0030330	
Water Depth (in fee	et) Built afte No	r 07/17/2006? *					
		Cooling Materiates State	akura 10	MAN. TO DANIES BUILDING COMPA	(DE)	Wildrata Control Eliza (UE)	
			ciule (C	· · · · · · · · · · · · · · · · · · ·		Hydrate Control Fluid (HF)	X Martenance BWP (VW)
		Produced Water (PR)		X San Lary & Discoveration view of the Control of t	277.27	Stock Base Fluid Drill (SB)	∑ Well Fall de (WF)
Add Struc	ture						
Add Lease B	lock						
ensitive Areas							
Add Lease B	lock						
cation information							

## Ex. 6 Personal Privacy (PP)

orm Action *		
Approve		

## Digital Signature Acknowledgement

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system, or those person directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.